

ANNALS OF THE UNIVERSITY OF PETROSANI

MECHANICAL ENGINEERING

VOL. 20 (XLVII)

UNIVERSITAS Publishing PETROŞANI – ROMANIA 2018

EDITOR OF PUBLICATION Prof. PhD. Eng. Sorin Mihai RADU

ADVISORY BOARD:

Prof.Eng. Moise-Ioan ACHIM Ph.D. - "1 Decembrie 1918" University of Alba-Iulia, Romania;

Prof.Eng. Iosif ANDRAŞ Ph.D. - University of Petroşani, Romania;

Prof.Eng. Niculae-Napoleon ANTONESCU Ph.D. - "Petroleum-Gas" University of Ploiești, Romania;

Prof.Eng. Alexandru BOROIU Ph.D. - University of Pitești, Romania;

Prof.Eng. Ioan CARTIS Ph.D. - Politechnical University of Timisoara, Romania;

Prof.Eng. Ion CIUCĂ Ph.D. - "Politehnica" University of București, Romania;

Prof. Eng. Pascu-Mihai COLOJA Ph.D. - "Petroleum-Gas" University of Ploiești, Romania;

Prof.Eng. Predrag DAŠIĆ Ph.D. - High Technical Mechanical School R. Krstića, Trstenik, Serbia;

Prof.Eng. Sorin DIMITRIU Ph.D. - "Politehnica" University of București, Romania;

Prof.Eng. Valeriu DULGHERU Ph.D. – Tech. University of Moldova, Chişinău, Republic of Moldova;

Assoc.Prof.Eng. António GONCALVES-COELHO Ph.D. - Universidade Nova de Lisboa, Portugal;

Prof.Eng. Otto GRIGOROV Ph.D. - National Technical University of Kharkov, Ukraine;

Prof.Eng. Anatoli GHRABCHENKO Ph.D. - National Technical University of Kharkov, Ukraine;

Prof.Eng. Nicolae ILIAŞ Ph.D. - University of Petroşani, Romania;

Prof.Eng. Ioan-Iulian IRIMIE Ph.D. - University of Petrosani, Romania;

Prof.Eng. Iosif KOVACS Ph.D. - University of Petroşani, Romania;

Assoc.Prof.Eng. Krzysztof KOTWICZA Ph.D - AGH University of Science and Technology, Poland;

Assoc.Prof.Eng. Gábor LADÁNYI Ph.D - University of Miskolc, Hungary;

Assoc.Prof.Eng. Traian MAZILU Ph.D. - "Politehnica" University of București, Romania;

Prof. Eng. Mihai MINESCU Ph.D. - "Petroleum-Gas" University of Ploiești, Romania;

Prof.Eng. Marin-Silviu NAN Ph.D. - University of Petroșani, Romania;

Assoc.Prof.Eng. Mircea NICOARĂ Ph.D. - Politechnical University of Timișoara, Romania;

Prof.Eng. Gyula PATKO Ph.D - University of Miskolc, Hungary;

Prof.Eng. Eugen PAY Ph.D. – North University of Baia-Mare, *Romania*;

Assoc.Prof.Eng. Eugen PĂMÎNTAŞ Ph.D. - Politechnical University of Timişoara, Romania;

Prof.Eng. Şerban RAJCU Ph.D. - "Politehnica" University of Bucureşti, Romania;

Prof.Eng. Janusz REŚ Ph.D. - AGH University of Science and Technology, Poland;

Prof.Eng. Alexei TOCA Ph.D. - Technical University of Moldova, Chişinău, Republic of Moldova;

Prof.Eng. Raul R. TURMANIDZE Ph.D. - Technical University of Tbilisi, Georgia;

Prof.Eng. Nicolae UNGUREANU Ph.D. – Technical University of Cluj-Napoca, Romania;

Prof.Eng. Ioan VIDA-SIMITI Ph.D. - Politechnical University of Cluj-Napoca, Romania;

Assoc.Prof.Eng. Zoltán VIRÁG Ph.D - University of Miskolc, Hungary;

EDITORIAL BOARD:

Editor-in-chief: Assoc.Prof.Eng. Sorin MIHĂILESCU Ph.D. - University of Petroşani, Romania Deputy Editor: Lecturer Eng. Andrei ANDRAS Ph.D. - University of Petrosani, Romania

Deputy Editor: Lecturer Eng. Andrei ANDRAŞ Ph.D. - University of Petroşani, *Romania* Associate Editors: Prof.Eng. Ioan-Lucian BOLUNDUŢ Ph.D. - University of Petroşani, *Romania*;

Assoc.Prof. Eng. Iosif DUMITRESCU Ph.D. - University of Petroşani, *Romania*; Assoc.Prof.Eng. Gabriel PRAPORGESCU Ph.D. - University of Petroşani, *Romania*; Prof.Eng.Habil. Florin Dumitru POPESCU Ph.D. - University of Petroşani, *Romania*;

Assoc.Prof.Eng. Sorin VĂTAVU Ph.D. - University of Petroşani, Romania

Editorial office address:

University of Petroșani, 20 University Street, 332006, Petroșani, Romania,

Phone: (40) 254/54.29.94, 54.25.80, 54.25.81, 54.25.82, Fax. (40)254/54.34.91, 54.62.38,

https://www.upet.ro/annals/mechanical/ E-mail: andrei.andras@gmail.com

Contents

Doşa, I., Tomuş, O.B., Power demand of the TK-R 16/8 turbocompressor function of inlet conditions	5
Dumitrescu, I., Itu, RB., Frangible coupling a safety element in airports' traffic	11
Florea, V. A., Researches on wear and reliability of some subassemblies and spare parts of technological equipment	19
Gavriluță, A., Design of a learning platform for 5S method for using to improve a manufacturing system	27
Hlavatá, P., Maxaa, J., Flow analysis of the pressure distribution in the experimental chamber of the differential pumping	<i>l</i> 33
Hristova, T., Methodology for determining the replacement period for lifter bars for the surface industry	41
Lupu, AC., Petrescu, M., Equipment for water ozonation in fish breeding lakes	51
Lupu, AC., Petrescu, M., Mobile autonomous aerator	59
Radu, S.M., Popescu F.D., Andraş, A., Kertesz (Brînaş), I., Tomuş, O.B., Simulation and modelling of the forces acting on the rotor shaft of BWEs, in order to improve the quality of the cutting process	
Romenda, R., Virág, Z., Magyar, T., Separation processing methods of waste electronic and electrical equipment	73
Rusu, R., Alexandru, T.–G., Manole, M., A two-stage macro based approach for developing aircraft engine components concessions based on surface morphing technologies	79
Stoicuța, O., Nan, M. S., Grecea, D., Plotogea, C., Modeling and simulation of the sterile rocks excavation process using bucket wheel excavators	89
Şerban, G., Analysis of micro-profile machining of the non-planar surfaces of injection molds for polymeric composites	99
Şoica, F.F., Egri, A., Stanimirescu, A., Analysis of quality indicators from slurry decanters	105

Vătavu, S., Plunger hydraulic machines. Typology, calculation principles applications in mining	and 111
Virág, Z., Fülöp, V., Molnár, J., Initial steps to develop a cutting and hauli for dimension stone mining	ing adapter 121
Index of Authors	127
Instructions for Authors	128

INDEX OF AUTHORS

\mathbf{A}		\mathbf{M}	
Alexandru, TG.,	79	Magyar, T.,	73
Andraș, A.,	63	Manole, M.,	79
D		Maxaa, J.,	33
Doşa, I.,	5	Molnár, J.,	121
Dumitrescu, I.,	11	\mathbf{N}	
${f E}$		Nan, M.S.,	89
Egri, A.,	105	P	
${f F}$		Petrescu, M.,	51, 59
Florea, V.A.,	19	Plotogea, C.,	89
Fülöp, V.,	121	Popescu, F.D.,	63
\mathbf{G}		R	
Gavriluță, A.,	27	Radu, S.M.,	63
Grecea, D.,	89	Romenda, R.,	73
Н		Rusu, R.,	79
Hlavatá, P.,	33	S	
Hristova, T.,	41	Stanimirescu, A.,	105
I		Stoicuţa, O.,	89
Itu, R. B.,	11	Ş	
K		Şerban, G.,	99
Kertész, (B.) I.,	63	Şoica, F.F.,	105
\mathbf{L}		Ş	
Lupu, AC.,	51, 59	Tomuş, O.B.,	5, 63
		${f V}$	
		Vătavu, S.,	111
		Virág, Z.,	73, 121

INSTRUCTIONS FOR AUTHORS¹

THE TITLE OF THE PAPER WILL BE WRITTEN WITH CAPITAL LETTERS, CENTERED, AT 7.0 cm FROM THE UPPER EDGE OF A4 FORMAT, ALONG THE ENTIRE WIDTH, TIMES NEW ROMAN, 14 POINTS, BOLD.

(14 points) (14 points)

The first name and the family name will be written with CAPITAL LETTERS, BOLD, CENTERED, 130 mm width, Times New Roman, 12 points, each name being followed by number, and in the footnote the didactic and scientific degree, the position and place of work of the authors (possibly fax, E-mail) are indicated, with italics, 130 mm width, Times New Roman, 11 points.

(12 points) (12 points)

<Tab> Abstract: (Times New Roman, 10 points, bold) The Abstract will only be in English and will have between 50 and 100 words, arranged all over the entire width, single, left – right alignment, all over the width of the printed space, Times New Roman, 10 points.

(10 points) (10 points)

<Tab> **Key words: (Times New Roman, 10 points, bold)** 5-10 words, in English, along the entire width, Times New Roman, 10 points.

(10 points) (10 points)

(10 points)

<Tab> 1. THE TITLE OF THE CHAPTER IS WRITTEN WITH CAPITAL LETTERS, BOLD, TIMES NEW ROMAN, 11 POINTS AND WILL BE NUMBERED WITH ARABIC NUMBERS.

(11 points)

<Tab> The paper text paragraphs will be left – right aligned. The lines of the entire text will be single spaced with Times New Roman fonts, size 11 points.

The paper will be edited in a language of international circulation (English, French, German) on A4 format (210 x 297), page setup: top 5.6 cm, bottom 4.6 cm, left 3.7 cm, right 3.7 cm, in WORD and the number of pages must be even between 4 and 16. The size of the symbol is given next and is written in the instructions used to assist in editing the text. It indicates a blank line and does not show in the text of the paper, being obtained by pressing <ENTER>. The size of a <Tab> is 1.27 cm. No blank line is left between the paragraphs. Between the last line before the title and the title of the chapter and between the title and the first next line a blank line is left for each.

¹ Professor Eng., Ph.D. at the University of Petrosani, email adress

<Tab> 1.1 Subchapter. Subchapters can be used in the text, numbered with the number of the chapter and a number showing the number of the subtitle within the chapter. The subchapters and the numbers are Times New Roman, 11 points, bold.

(11 points)

The text is written in new paragraph and not continuing the subtitle, an 11 point blank line being left between the subtitle and the following text.

(11 points)

2. PRESENTATION OF THE FIGURES

(11 points)

Figures should be enclosed in the text in the order of their presentation, as far as possible on the page where reference is made to them. They shall be numbered with Arabic numbers. Black – and – white, high contrast figures are recommended. Photos can be used as well, but they should be of good quality, clarity and sufficient contrast. The figures will have a legend (name of the figure), which, along with the number, will be written underneath with Times New Roman, 10 points, centered as to the

Fig. 1. Detachable bifigure. The figures will be surrounded by text.

(11 points)

3. PRESENTATION OF THE TABLES

(11 points)

The tables will be enclosed in the text, a 10 points blank line being left above and under the table, and will be numbered with Arabic numbers. Both the number and the explanations to the table are written with Times New Roman, 10 points, italic, for the number and bold for the explanation to the table, centered in the space of the table and above it. The table entries will be Times New Roman, 10 points, bold, and the data in the table will be Times New Roman, 10 points. The thin lines of the table will be ½ points (0.02 cm), and the thick ones will be ¾ ... 1 points (0.03 ... 0.04 cm).

(11 points)

4. PRESENTATION OF THE MATHEMATICAL EQUATIONS

(11 points)

The mathematical equations will be with times New Roman, 11 points, center of the page and numbered on the right with Arabic numbers between round brackets.

(8 points) < Blank line 8 point high>
$$X^2 + Y^2 = Z^2$$
(8 points) < Blank line 8 point high>
(1)

An 8 point high blank line is left between the last line before the relation and the relation and between the latter and the next first line.

The last page will be at least 2/3 full.

The pages of the paper will only be numbered by a pencil outside the printing space.

(11 points)

REFERENCES (will be written according to the model, Times New Roman 10 points).

(10 points)

[1]. Marian I., Mining mechanization, Technical Publishing House, Bucharest, 1969 (Romanian language)