

ANNALS OF THE UNIVERSITY OF PETROSANI

MECHANICAL ENGINEERING

VOL. 8 (XXXV)

Editura UNIVERSITAS PETROŞANI – ROMANIA 2006

ISSN 1454-9166

EDITOR OF PUBLICATION

Prof.Eng. Ioan-Lucian BOLUNDUŢ Ph.D. E-mail: ibol@upet.ro

ADVISORY BOARD

Prof.Eng. Moise-Ioan ACHIM Ph.D. - "1 Decembrie 1918" University of Alba-Iulia, Romania; Prof.Eng. Ioan CARTIS Ph.D. - Politechnical University of Timisoara, Romania; Prof.Eng. Tudor CHERECHES Ph.D., Brigade General (ret.) - Military Technical Academy, Bucuresti, Romania; Prof.Eng. Sorin DIMITRIU Ph.D. - "Politehnica" University of București, Romania; Prof.Eng. Valeriu DULGHERU Ph.D. - Technical University of Moldova, Chişinău, Republic of Moldova; Prof.Eng. Alexandru FLOREA Ph.D. - University of Petroşani, Romania; Prof.Eng. Otto GRIGOROV Ph.D. -National Technical University of Kharkov, Ukraine; Prof.Eng. Anatoli GHRABCHENKO Ph.D. -National Technical University of Kharkov, Ukraine; Prof.Eng. Nicolae ILIAS Ph.D. - University of Petroşani, Romania; Prof.Eng. Ioan-Iulian IRIMIE Ph.D. - University of Petroşani, Romania; Prof.Eng. Iosif KOVACS Ph.D. - University of Petroşani, Romania; Assoc.Prof.Eng. Gábor LADÁNYI Ph.D -University of Miskolc, Hungary; Prof.Eng. Andrei MAGYARI Ph.D. - University of Petrosani, Romania; Prof.Eng. Oleksandr MIKHAYLOV Ph.D. - Donetsk National Technical; University, Ukraine; Prof.Eng. Eugen PAY Ph.D. - North University of Baia-Mare, Romania; Assoc.Prof.Eng. Eugen PĂMÎNTAŞ Ph.D. - Politechnical University of Timişoara, Romania; Romania; Prof.Eng. Octavian PRUTEANU Ph.D. - Technical University "Gh. Asachi" of Iasi, Romania; Prof.Eng. Alexei TOCA Ph.D. - Technical University of Moldova, Chisinău, Republic of Moldova; Prof.Eng. Raul R. TURMANIDZE Ph.D. - Technical University of Tbilisi, Georgia; Prof.Eng. Vlad ULMANU Ph.D. -"Petroleum-Gas" University of Ploiești, Romania; Prof.Eng. Nicolae UNGUREANU Ph.D. - North University of Baia-Mare, *Romania*; Assoc. Prof. Eng. György VŐNEKY Ph.D - University of Miskolc, *Hungary*; Prof. Eng. Vasile ZAMFIR Ph.D. - University of Petroşani, *Romania*; Prof. Eng. Gheorghe ZGURĂ Ph.D. - "Politehnica" University of București, Romania

EDITORIAL BOARD

Editor-in-chief:

Prof.Eng. Nicolae ILIAS Ph.D.

- University of Petrosani, Romania

Associate Editors:

Prof.Eng. Iosif KOVACS Ph.D.
Prof.Eng. Carmen FLOREA Ph.D.
Prof.Eng. Iosif ANDRAŞ Ph.D.
Prof.Eng. Marin-Silviu NAN Ph.D.
Prof.Eng. Horia SIMASCHEVICI Ph.D.
Conf.Eng. Iosif DUMITRESCU Ph.D.

University of Petroşani, Romania
University of Petroşani, Romania
University of Petroşani, Romania
University of Petroşani, Romania

- University of Petroşani, Romania

- University of Petroşani, Romania

Editor Secretary:

Lect.Eng. Sorin MIHĂILESCU Ph.D.

- University of Petroşani, Romania

Editorial office address:

University of Petroşani, 20 University Street, RO-332006 Petroşani, Romania, **Phone**: (40) 254/542994, 542580, 542581, 543382; **Fax**: (40) 254/543491;

Telex: 72524 univp; E-mail: mihailescus@gmail.com

Contents

Mihăilescu, S., Praporgescu, G., Analyzing the Operation of the Extraction	
System in the E.M.C. Jilt Open Pit Mines	
Dekys, V., Sapietova, A., Vasko, M., Kocur, R., Comparison the Results	
Based on Interval Numbers, Fuzzy Set Method and Probability Approac	h.
Dura, C., Isac, C., The ANOVA Method in Quality Audit	
Edelhauser, E., Ionică, A., Quality Risk Management in the Underground Working System	
Iloiu, M., Iloiu, S., Risk Management Tools in International Mining Projects	ς
Iloiu, S., Iloiu, M., Risk Management and Financing Mining Projects	
Ionică, A., Edelhauser, E., A Digraph Model for Evaluating the C-S	• • • •
Relationship in the QMS Context	
Isac, C., Dura, C., Coordinates of Gestion Resource in Energetic Industry	
Ladányi, G., Sümegi, I., Some Issues of the Thecnological Design of Bucket-	-
Wheel Excavators	
Novak-Marcincin, J., Brazda, P., Visual Requirements on Augmented Virtua	l
Reality System	
Petrilean, D.C., The Study of the Overall Efficiency of a Coal Thermoelectric	
Power Station and ITS Impact on the Environment	
Popescu, F., Magyari, A., Nan, M.S., Bendea, I.P., Controls Ways of the	
Transportation Capacity Variation for the Canvas Conveyer	
Saga, M., Kocur, R., Dekys, V., Vasko, M., Sapietova, A., Mass Minimizing	-
the Shell Structures Using Discrete Optimizing Algorithm	
Suciu, A., Itu, V., Dumitrescu, I., Determination of Loads Transmitted to the	
Metallic Towers of the Extracting Installations ,,Puţ Auxiliar Nr. 2" E.N	
Paroșeni in the Case of the Application of the Safety Brake	• • •
Zamfir, V., Vârgolici, H.M., The Intrinsic Importance of the Transmission	
Angle in the Approximate Synthesis of a Linkage Mechanisms	• • • •
Andras, I., Nan, M.S., Kovacs, I., Cristea, D., Tomescu, L.C., Research	
Regarding the OEE (Overall Equipment Effectiveness) Assessment of the	
Coal Open Pit Mines Production System	••••
Dunca, F., Kovacs, I., Driving Stations. the Analysis of Some Winding	,
Diagrams and the Maximum Forces Reckoning That Can Be Transmitte	
Through Friction from the Drum to the Tape Blanket	• • •
Jula D., Praporgescu G., Mihăilescu S., Cornaciu N., Deaconu I,	,
Considerations on the Reliability of Machines and Equipment Used in the	
Open Pit Mines	
Pop, E., Leba, M., Pop, M., Drilling Robot Digital Control	
Leba, M., Pop, E., Articulated Robotic Arm Simulation and Control	
Index of Authors	
Instructions for Authors	

INDEX OF AUTHORS

A ndraş, I.,	139	Ladányi, G.,	63
B endea, I.P.,	87	Leba, M.,	181
Brazda, P.,	73	M agyari, A.,	87
Cristea, D.,	139	Mihăilescu, S.,	5, 155
Cornaciu N.,	155	Nan, M.S.,	87, 139
Deaconu I.,	155	Novak-Marcincin, J.,	73
Dekys, V.,	11, 93	Petrilean, D.C.,	79
Dumitrescu, I.,	103	Pop, E.,	173, 181
Dunca, F.,	147	Pop, M.,	173
Dura, C.,	23, 57	Popescu, F.,	87
Edelhauser, E.,	31, 51	Praporgescu, G.,	5, 155
Iloiu, M.,	39, 45	S aga, M.,	93
Iloiu, S.,	39, 45	Sapietova, A.,	11, 93
Ionică, A.,	31, 51	Suciu, A.,	103
Isac, C.,	23, 57	Sümegi, I.,	63
Itu, V.,	103	Tomescu, L.C.,	139
${f J}$ ula, D.,	155	V ârgolici, H.M.,	111
Kocur, R.,	11, 93	Vasko, M.,	11, 93
Kovacs, I.,	139, 147	Z amfir, V.,	111

INSTRUCTIONS FOR AUTHORS

THE TITLE OF THE PAPER WILL BE WRITTEN WITH CAPITAL LETTERS, CENTERED, AT 7.0 cm FROM THE UPPER EDGE OF A4 FORMAT, ALONG THE ENTIRE WIDTH, TIMES NEW ROMAN, 14 POINTS, BOLD.

 \cdot (14 points)

 \cdot (14 points)

The first name and the family name will be written with CAPITAL LETTERS, BOLD, CENTERED, 130 mm width, Times New Roman, 12 points, each name being followed by number, and in the footnote the didactic and scientific degree, the position and place of work of the authors (possibly fax, Email) are indicated, with italics, 130 mm width, Times New Roman, 11 points.

 \cdot (12 points)

 \cdot (12 points)

<Tab> Abstract: (Times New Roman, 10 points, bold) The Abstract will only be in English and will have between 50 and 100 words, arranged all over the entire width, single, left – right alignment, all over the width of the printed space, Times New Roman, 10 points.

 \cdot (10 points)

 \cdot (10 points)

<Tab> **Key words:** (**Times New Roman, 10 points, bold**) 5-10 words, in English, along the entire width, Times New Roman, 10 points.

· (10 points)

· (10 points)

· (10 points)

<Tab> 1. THE TITLE OF THE CHAPTER IS WRITTEN WITH CAPITAL LETTERS, BOLD, TIMES NEW ROMAN, 11 POINTS AND WILL BE NUMBERED WITH ARABIC NUMBERS.

 \cdot (11 points)

<Tab> The paper text paragraphs will be left – right aligned. The lines of the entire text will be single spaced with Times New Roman fonts, size 11 points.

The paper will be edited in a language of international circulation (English, French, German) on A4 format (210 x 297), page setup: top 5,6 cm, bottom 4,6 cm, left 3,7 cm, right 3,7 cm, in WORD or WORDPERFET or WINDOWS. The size of the symbol is given next and is written in the instructions used to assist in editing the text. It indicates a blank line and does not show in the text of the paper, being obtained by pressing <ENTER>. The size of a <Tab> is 1,27 cm. No blank line is left between the paragraphs. Between the last line before the title and the title of the chapter and between the title and the first next line a blank line is left for each.

Professor, Ph.D. at the University of Petroşani

<Tab> 1.1 Subchapter. Subchapters can be used in the text, numbered with the number of the chapter and a number showing the number of the subtitle within the chapter. The subchapters and the numbers are Times New Roman, 11 points, bold.

 \cdot (11 points)

The text is written in new paragraph and not continuing the subtitle, an 11 point blank line being left between the subtitle and the following text.




Fig. 1. Detachable bit

2. PRESENTATION OF THE FIGURES

 \cdot (11 points)

· (11 points)

Figures should be enclosed in the text in the order of their presentation, as far as possible on the page where reference is made to them. They shall be numbered with Arabic numbers. Black – and – white, high contrast figures are recommended. Photos can be used as well, but they should be of good quality, clarity and sufficient contrast. The figures will have a legend (name of the figure), which, along with the number, will be written underneath with Times New Roman, 10 points, centered as to the figure. The figures will be surrounded by text.

 \cdot (11 points)

3. PRESENTATION OF THE TABLES

 \cdot (11 points)

The tables will be enclosed in the text, a 10 points blank line being left above and under the table, and will be numbered with Arabic numbers. Both the number and the explanations to the table are written with Times New Roman, 10 points, italic, for the number and bold for the explanation to the table, centered in the space of the table and above it. The table entries will be Times New Roman, 10 points, bold, and the data in the table will be Times New Roman, 10 points. The thin lines of the table will be ½ points (0,02 cm), and the thick ones will be ¾ ... 1 points (0,03 ... 0,04 cm).

 \cdot (11 points)

4. PRESENTATION OF THE MATHEMATICAL EQUATIONS

 \cdot (11 points)

The mathematical equations will be with times New Roman, 11 points, center of the page and numbered on the right with Arabic numbers between round brackets.

· (8 points)<Blank line 8 point high>

$$X^2 + Y^2 = Z^2 \tag{1}$$

· (8 points) < Blank line 8 point high>

An 8 point high blank line is left between the last line before the relation and the relation and between the latter and the next first line.

The last page will be at least 2/3 full.

The pages of the paper will only be numbered by a pencil outside the printing space.

 \cdot (11 points)

REFERENCES (will be written according to the model, Times New Roman 10 points).

· (10 points)

[1]. Marian I., Mecanizarea în minerit, Editura Tehnică, București, 1969.