ISSN 1454-9166



ANNALS OF THE UNIVERSITY OF PETROSANI MECHANICAL ENGINEERING

VOL. 15 (XLII)

Editura UNIVERSITAS PETROȘANI – ROMANIA 2013

EDITOR OF PUBLICATION

Prof.Eng. Ioan-Lucian BOLUNDUŢ Ph.D.

E-mail: ibol@upet.ro

ADVISORY BOARD

Prof.Eng. Moise-Ioan ACHIM Ph.D. - "1 Decembrie 1918" University of Alba-Iulia, Romania; Prof.Eng. Niculae-Napoleon ANTONESCU Ph.D. - "Petroleum-Gas" University of Ploiești, Romania; Prof.Eng. Ioan CARTIS Ph.D. - Politechnical University of Timisoara, Romania; Prof.Eng. Ion COPACI Ph.D. - "Aurel Vlaicu" University of Arad, Romania; Prof.Eng. Ioan CURTU Ph.D. -"Transilvania" University of Braşov, Romania; Prof.Eng. Predrag DAŠIĆ Ph.D. - High Technical Mechanical School R. Krstića, Trstenik, Serbia; Prof.Eng. Sorin DIMITRIU Ph.D. - "Politehnica" University of Bucuresti, Romania; Prof.Eng. Valeriu DULGHERU Ph.D. - Technical University of Moldova, Chisinău, Republic of Moldova; Prof.Eng. Carmen FLOREA Ph.D. - University of Petrosani, Romania; Assoc.Prof.Eng. António GONCALVES-COELHO Ph.D. - Universidade Nova de Lisboa, Portugal; Prof.Eng. Otto GRIGOROV Ph.D. - National Technical University of Kharkov, Ukraine; Prof.Eng. Anatoli GHRABCHENKO Ph.D. - National Technical University of Kharkov, Ukraine; Prof.Eng. Nicolae ILIAS Ph.D. - University of Petrosani, Romania; Prof.Eng. Baki KARAMIS Ph.D. -Erciyes University, Kayseri, Turkey; Prof.Eng. Iosif KOVACS Ph.D. - University of Petrosani, Romania; Assoc.Prof.Eng. Gábor LADÁNYI Ph.D - University of Miskolc, Hungary; Prof.Eng. Andrei MAGYARI Ph.D. - University of Petroşani, Romania; Assoc.Prof.Eng. Traian MAZILU Ph.D. -"Politehnica" University of Bucuresti, Romania; Prof.Eng. Oleksandr MIKHAYLOV Ph.D. - Donetsk National Technical University, Ukraine; Prof.Eng. Marin-Silviu NAN Ph.D. - University of Petroşani, Romania; Prof.Eng. Gyula PATKO Ph.D - University of Miskolc, Hungary; Prof.Eng. Eugen PAY Ph.D. - North University of Baia-Mare, Romania; Assoc.Prof.Eng. Eugen PĂMÎNTAŞ Ph.D. Politechnical University of Timișoara, Romania; Prof.Eng. Octavian PRUTEANU Ph.D. - Technical University "Gh. Asachi" of Iași, Romania; Prof.Eng. Sorin-Mihai RADU Ph.D. - University of Petrosani, Romania; Prof.Eng. Serban RAICU Ph.D. - "Politehnica" University of Bucuresti, Romania; Prof.Eng. Janusz REŚ Ph.D. - AGH University of Science and Technology, Poland; Prof.Eng. Yuriy SOLOMONZEV Ph.D. - Moscow State Technological University "Stankin", Russia; Prof.Eng. Alexei TOCA Ph.D. - Technical University of Moldova, Chişinău, Republic of Moldova; Prof.Eng. Raul R. TURMANIDZE Ph.D. - Technical University of Tbilisi, Georgia; Prof.Eng. Vlad ULMANU Ph.D. -"Petroleum-Gas" University of Ploiesti, Romania; Prof.Eng. Nicolae UNGUREANU Ph.D. - North University of Baia-Mare, Romania

EDITORIAL BOARD

Editor-in-chief: Assoc.Prof.Eng. Sorin MIHĂILESCU Ph.D. - University of Petroșani, Romania

Associate Editors: Prof.Eng. Iosif ANDRAŞ Ph.D. - University of Petroşani, *Romania*; Assoc.Prof. Eng. Iosif DUMITRESCU Ph.D. - University of Petroşani, *Romania*; Prof.Eng. Iosif GRUNEANŢU Ph.D. - University of Petroşani, *Romania*; Prof.Eng. Horia SIMASCHEVICI Ph.D. - University of Petroşani, *Romania*; Assoc.Prof.Eng. Sorin VĂTAVU Ph.D. - University of Petroşani, *Romania*

Editor Secretary: Assoc.Prof.Eng. Gabriel PRAPORGESCU Ph.D. - University of Petroşani, Romania

Editorial office address:

University of Petroşani, 20 University Street, RO-332006 Petroşani, Romania, **Phone**: (40) 254/542994, 542580, 542581, 543382; **Fax**: (40) 254/543491; **Telex**: 72524 univp; **E-mail**: mihailescus@gmail.com; gpraporgescu@gmail.com

Contents

pag.

| Armășoiu, P., Florea, V.A., Considerations Regarding to Durability of Belts |
|--|
| Conveyor Installations |
| Bogdănescu, I., Industrial Risk Analysis of Storage, Bottling and Distribution |
| of Liquefied Petroleum Gas |
| Dobrei, G.L., Vasiu, T., Conț, I., Crișan, C., The Influence of Pit Coal Burning |
| and Quality in Domestic Stove |
| Doşa, I., Petrilean, D.C., Energy Characteristics of Pp-33/140-P55 Steam |
| Boiler |
| Doşa, I., Petrilean, D.C., Economic Impact of Measures to Improve Energy Efficiency for a Thermal Power Station |
| Dumitrescu, I., Mihăilescu, S., Itu, V., 3D Modelling of Cylindrical Cutting |
| Tool Geometry with Helical Teeth |
| Dumitriu, M., Considerations on the Excitation Mechanism of the Vertical |
| Vibration Symmetrical and Antisymmetrical Modes in Railway Vehicles |
| Itu, R.B., Dumitrescu, I., Ridzi, M.C., Cozma, B.Z., Verify of the Winding |
| Engine Brake Mechanism in Auxiliary South Shaft in Lupeni Mining Plant |
| Jula, D., Tomuş, O.B., Ionescu (Marica), L., Sălăşan, D., Pulbere, AM., |
| Assessment Of Linear Hydraulic Engine Reliability Of Handling The |
| Machines Bucket For Loading, Transportation And Storage Used In |
| Mining |
| Kamburov, S.M., Molnár, J., Sublevel Caving Shields and Their Utilization in |
| Mining Out Disturbed Thick Coal Seams |
| Mihăilescu, S., Praporgescu, G., Disruptions Analysis for Equipments Used in |
| Lignite Open Pits |
| Nan, M.S., Kovacs, I., Rus, D., Dandea, L.D., Assessing the Mechanical |
| Cutting Behaviour of Barren Rocks with High Dislocation Resistance from |
| Husnicioara Mine Perimeter |
| Nan, M.S., Secară, M.C., Dandea, L.D., Popescu, D., The Study of the |
| Construction and Operation of the Braking Systems Used for Mineral |
| Substances Hauling Vehicles |
| Niţescu, F.M., Tomuş, O.B., Pulbere, A.M., Study on the Estimation of the |
| Demand of Spare Parts by Using the Renewal Process |
| Petrilean, D.C., Doşa, I., Comparative Energetic Aspects Regarding Steam |
| Driven Turbine |
| Pop, I.A., Itu, R.B., Loads Transmitted to the Metallic Tower of the Extracting |
| Installation Put Nou Cu Schip Belonging to Petrila Mining Shaft in the |
| Case of the Application of the Safety Brake |

pag.

| Praporgescu, G., Mihăilescu, S., Research on the Pressure Adjustment of | |
|--|-----|
| Water Injection for Pneumatic Hammer Drills | 146 |
| Secară, M.C., Nan, M.S., Dandea, L.D., Popescu, D., Present State and | |
| Perspectives of Environmental Pollution Caused by Vehicles | 155 |
| Secară, M.C., Nan, M.S., Dandea, L.D., Popescu, D., Experimental Researches | |
| Regarding The Phenomenon Of Environmental Pollution By Vehicles | 166 |
| Tomuş, O.B., Jula, D., Sălăşan, D., Ionescu (Marica), L., Pulbere, A.M., | |
| Assessment on Spare Parts Requirement Based on Reliability's | |
| Characteristics | 175 |
| Vătavu, S., Vătavu, N., Light Pneumo-Hydraulic Power Pack for the Supply of | |
| Mining Hydraulic Cylinders | 18. |
| Virág, Z., Optimum Design of a Multiple-Pipe Above-Ground Pipeline | 193 |
| | |
| Index of Authors | 100 |
| $\mathbf{H}\mathbf{u}\mathbf{v}\mathbf{A} \mathbf{v}\mathbf{I} \mathbf{I} \mathbf{u}\mathbf{u}\mathbf{H}\mathbf{v}\mathbf{I}\mathbf{S} \cdots \cdots \cdots \cdots \cdots \cdots \cdots \cdots \cdots $ | 1/ |

| Index of Authors | 199 |
|--------------------------|-----|
| Instructions for Authors | 200 |

INDEX OF AUTHORS

| Armășoiu, P., | 5 |
|-----------------------|--------------------|
| Bogdănescu, I., | 11 |
| Conț, I., | 23 |
| Cozma, B.Z., | 70 |
| Crișan, C., | 23 |
| F lorea, V.A., | 5 |
| D andea, L.D., | 103, 111, 155, 166 |
| Dobrei, G.L., | 23 |
| Doşa, I., | 28, 34, 130 |
| Dumitrescu, I., | 45,70 |
| Dumitriu, M., | 56 |
| Ionescu (Marica), | L., 76, 175 |
| Itu, R.B., | 70, 138 |
| Itu, V | 45 |
| J ula, D., | 76, 175 |
| Kamburov, S.M., | 86 |
| Kovacs, I., | 103 |
| | |

| Mihăilescu, S., | 45, 95, 146 |
|---------------------------|--------------------|
| Molnár, J., | 86 |
| N an, M.S., | 103, 111, 155, 166 |
| Niţescu, F.M., | 123 |
| P etrilean, D. C., | 28, 34, 130 |
| Pop, I.A., | 138 |
| Popescu, D., | 111, 155, 166 |
| Praporgescu, G., | 95, 146 |
| Pulbere, AM., | 76, 123, 175 |
| R idzi, M.C., | 70 |
| Rus, D., | 103 |
| ${f S}$ ălăşan, D., | 76, 175 |
| Secară, M.C., | 111, 155, 166 |
| T omuş, O.B., | 76, 123, 175 |
| V asiu, T., | 23 |
| Vătavu, N., | 185 |
| Vătavu, S., | 185 |
| Virág, Z., | 193 |

Annals of the University of Petroşani, Mechanical Engineering, 15 (2013), 200-201 200

INSTRUCTIONS FOR AUTHORS¹

THE TITLE OF THE PAPER WILL BE WRITTEN WITH CAPITAL LETTERS, CENTERED, AT 7.0 cm FROM THE UPPER EDGE OF A4 FORMAT, ALONG THE ENTIRE WIDTH, TIMES NEW ROMAN, 14 POINTS, BOLD.

 \cdot (14 points)

 \cdot (14 points)

The first name and the family name will be written with CAPITAL LETTERS, BOLD, CENTERED, 130 mm width, Times New Roman, 12 points, each name being followed by number, and in the footnote the didactic and scientific degree, the position and place of work of the authors (possibly fax, E-mail) are indicated, with italics, 130 mm width, Times New Roman, 11 points.

 \cdot (12 points)

 \cdot (12 points)

<Tab> Abstract: (Times New Roman, 10 points, bold) The Abstract will only be in English and will have between 50 and 100 words, arranged all over the entire width, single, left – right alignment, all over the width of the printed space, Times New Roman, 10 points.

 \cdot (10 points)

 \cdot (10 points)

 $\langle \text{Tab} \rangle$ Key words: (Times New Roman, 10 points, bold) 5 – 10 words, in English, along the entire width, Times New Roman, 10 points.

 \cdot (10 points)

 \cdot (10 points)

 \cdot (10 points)

<Tab> 1. THE TITLE OF THE CHAPTER IS WRITTEN WITH CAPITAL LETTERS, BOLD, TIMES NEW ROMAN, 11 POINTS AND WILL BE NUMBERED WITH ARABIC NUMBERS.

 \cdot (11 points)

<Tab> The paper text paragraphs will be left – right aligned. The lines of the entire text will be single spaced with Times New Roman fonts, size 11 points.

The paper will be edited in a language of international circulation (English, French, German) on A4 format (210 x 297), page setup: top 5.6 cm, bottom 4.6 cm, left 3.7 cm, right 3.7 cm, in WORD and the number of pages must be even between 4 and 16. The size of the symbol is given next and is written in the instructions used to assist in editing the text. It indicates a blank line and does not show in the text of the paper, being obtained by pressing <ENTER>. The size of a <Tab> is 1.27 cm. No blank line is left between the paragraphs. Between the last line before the title and the title of the chapter and between the title and the first next line a blank line is left for each.

¹ Professor Eng., Ph.D. at the University of Petroşani, email adress

<Tab> 1.1 Subchapter. Subchapters can be used in the text, numbered with the number of the chapter and a number showing the number of the subtitle within the chapter. The subchapters and the numbers are Times New Roman, 11 points, bold.

 \cdot (11 points)

The text is written in new paragraph and not continuing the subtitle, an 11 point blank line being left between the subtitle and the following text.

220

 \cdot (11 points)

Figures should be enclosed in the text in the order of their presentation, as far as possible on the page where reference is made to them. They shall be numbered with Arabic numbers. Black - and - white, high contrast figures are recommended. Photos can be used as well, but they should be of good quality, clarity and sufficient contrast. The figures will have a legend (name of the figure), which, along with the number, will be written underneath with Times New Roman, 10 points, centered as to the figure. The figures will be surrounded by text.

 \cdot (11 points) 2. PRESENTATION OF THE FIGURES

Fig. 1. Detachable bit

 \cdot (11 points)

3. PRESENTATION OF THE TABLES

 \cdot (11 points)

The tables will be enclosed in the text, a 10 points blank line being left above and under the table, and will be numbered with Arabic numbers. Both the number and the explanations to the table are written with Times New Roman, 10 points, italic, for the number and bold for the explanation to the table, centered in the space of the table and above it. The table entries will be Times New Roman, 10 points, bold, and the data in the table will be Times New Roman, 10 points. The thin lines of the table will be 1/2 points (0.02 cm), and the thick ones will be $\frac{3}{4} \dots 1$ points $(0.03 \dots 0.04 \text{ cm})$.

\cdot (11 points)

4. PRESENTATION OF THE MATHEMATICAL EQUATIONS

 \cdot (11 points)

The mathematical equations will be with times New Roman, 11 points, center of the page and numbered on the right with Arabic numbers between round brackets.

$$(8 \text{ points}) < \text{Blank line 8 point high}$$

 $X^2 + Y^2 - Z^2$

· (8 points) < Blank line 8 point high>

An 8 point high blank line is left between the last line before the relation and the relation and between the latter and the next first line.

The last page will be at least 2/3 full.

The pages of the paper will only be numbered by a pencil outside the printing space.

\cdot (11 points)

REFERENCES (will be written according to the model, Times New Roman 10 points).

\cdot (10 points)

[1]. Marian I., Mining mechanization, Technical Publishing House, Bucharest, 1969 (Romanian language)

