ISSN 1454-9166



ANNALS OF THE UNIVERSITY OF PETROSANI MECHANICAL ENGINEERING

VOL. 18 (XLV)

Editura UNIVERSITAS PETROŞANI – ROMANIA 2016

ISSN 1454-9166

EDITOR OF PUBLICATION

Prof.Eng. Ioan-Lucian BOLUNDUŢ Ph.D.

E-mail: ibol@upet.ro

ADVISORY BOARD

Prof.Eng. Moise-Ioan ACHIM Ph.D. - "1 Decembrie 1918" University of Alba-Iulia, Romania; Prof.Eng. Niculae-Napoleon ANTONESCU Ph.D. - "Petroleum-Gas" University of Ploiesti, Romania; Prof.Eng. Alexandru BOROIU Ph.D. - University of Pitesti, Romania; Prof.Eng. Ioan CARTIS Ph.D. - Politechnical University of Timișoara, Romania; Prof.Eng. Ioan CURTU Ph.D. - "Transilvania" University of Brasov, Romania; Prof.Eng. Predrag DAŠIĆ Ph.D. - High Technical Mechanical School R. Krstića, Trstenik, Serbia; Prof.Eng. Sorin DIMITRIU Ph.D. - "Politehnica" University of Bucuresti, Romania; Prof.Eng. Valeriu DULGHERU Ph.D. - Technical University of Moldova, Chișinău, Republic of Moldova; Prof.Eng. Carmen FLOREA Ph.D. - University of Petrosani, Romania; Assoc.Prof.Eng. António GONÇALVES-COELHO Ph.D. - Universidade Nova de Lisboa, Portugal; Prof.Eng. Otto GRIGOROV Ph.D. - National Technical University of Kharkov, Ukraine; Prof.Eng. Anatoli GHRABCHENKO Ph.D. - National Technical University of Kharkov, Ukraine: Prof.Eng. Nicolae ILIAS Ph.D. - University of Petrosani, Romania; Prof.Eng. Ioan-Iulian IRIMIE Ph.D. - University of Petroşani, Romania; Prof.Eng. Iosif KOVACS Ph.D. - University of Petroşani, Romania; Assoc.Prof.Eng. Gábor LADÁNYI Ph.D - University of Miskolc, Hungary; Prof.Eng. Andrei MAGYARI Ph.D. - University of Petroşani, Romania; Assoc.Prof.Eng. Traian MAZILU Ph.D. -"Politehnica" University of București, Romania; Prof.Eng. Marin-Silviu NAN Ph.D. - University of Petroşani, Romania; Prof.Eng. Gyula PATKO Ph.D - University of Miskolc, Hungary; Prof.Eng. Eugen PAY Ph.D. - North University of Baia-Mare, Romania: Assoc.Prof.Eng. Eugen PĂMÎNTAŞ Ph.D. - Politechnical University of Timișoara, Romania; Prof.Eng. Sorin-Mihai RADU Ph.D. -University of Petroșani, Romania; Prof.Eng. Şerban RAICU Ph.D. - "Politehnica" University of București, Romania; Prof.Eng. Janusz RES Ph.D. - AGH University of Science and Technology. Poland; Prof.Eng. Alexei TOCA Ph.D. - Technical University of Moldova, Chişinău, Republic of Moldova; Prof.Eng. Raul R. TURMANIDZE Ph.D. - Technical University of Tbilisi, Georgia; Prof.Eng. Nicolae UNGUREANU Ph.D. - Technical University of Cluj-Napoca, Romania

EDITORIAL BOARD

Editor-in-chief: Assoc.Prof.Eng. Sorin MIHĂILESCU Ph.D. - University of Petrosani, Romania

Associate Editors: Prof.Eng. Iosif ANDRAŞ Ph.D. - University of Petroşani, *Romania*; Assoc.Prof. Eng. Iosif DUMITRESCU Ph.D. - University of Petroşani, *Romania*; Prof.Eng. Iosif GRUNEANŢU Ph.D. - University of Petroşani, *Romania*; Assoc.Prof.Eng. Gabriel PRAPORGESCU Ph.D. - University of Petroşani, *Romania*; Assoc.Prof.Eng. Sorin VĂTAVU Ph.D. - University of Petroşani, *Romania*

Editor Secretary: Lecturer Eng. Andrei ANDRAS Ph.D. - University of Petrosani, Romania

Editorial office address:

University of Petroşani, 20 University Street, RO-332006 Petroşani, Romania, **Phone**: (40) 254/542994, 542580, 542581, 543382; **Fax**: (40) 254/543491; **Telex**: 72524 univp; **E-mail**: mihailescus@gmail.com; andrei.andras@gmail.com

Contents

pag.

Andras, I., Andras, A., Petrilean, D. C., Application of the Theory of Sonics in	
the Design of Percussive Equipment for Rock Cutting	
Andras, I., Radu, S. M., Andras, A., Study Regarding the Bucket-Wheel	
Excavators Used in Hard Rock Excavations	
Burya, A., Naberezhnay, O., Sapeshko, S., Dašić, P., Development and	
Research of Hybrid Polymer Composite Materials Based on Phenylone	
Cazac, A. M., Darabont, D. C., Baciu, C., Bernevig-Sava, M. A., Bejinariu, C.,	
Determination of Friction Coefficient Between Aluminum Semi-Finished	
and Plastic Deformation Tools	
Cozma, B. Z., Dumitrescu, I., Equipment Designing for the Carol Shaft	
Rehabilitation from Slănic Prahova Salina	
Dimirache, G., Rus, I. C., Dinescu S., The Synthesis for Six Bars Mechanism of	
Guiding Roof Supports for the Coal Mining,	
Dosa, I., Petrilean, D. C., Comparative Analysis of Steam Generators Fueled	
by Lignite and Hard Coal from Emissions Point of View,	
Grecea, D., Nan, M. S., Plotogea, C., Tutuianu, G., Research on Using Images	
to Monitoring Conveyor Belt,	
Itu, R. B., Itu, V., Analysis of Flat Cable Connecting Devices for Winding	
Installation Vessels	
Jula D., Tomuş O. B., Study About the Reliability of the Esrc 1400 Bucket	
Wheel Excavators Used in Open-Pit Coal Mines in Oltenia	
Ladányi, G., Study on the Noise Emission of Belt Conveyor Idler Rolls	
Ladányi, G., Virág, Z., Examining the Bucket Wheel Excavator's Bucket After	
Renewal	
Makharadze, L., Lanchava, O., Radu, S. M., Moraru, I. R., The Main Aspects	
of the Durability Increase of Hydro-Transportation Pipeline Systems	
Providing Exploitation Reliability and Efficiency	
Mihăilescu, S., Praporgescu, G., Analysis of the Current and Future Traffic on	
County Road DJ 665D	1
Nan, T. M., Radu, S. M., Stănilă, S., Minimising the Actuating Power of Multi-	
Rope Hoisting Machinery,	1
Petrilean, D. C., Dosa, I., Andras, A., Preda, L., Pollutant Variation Estimation	
According to the Wind Speed and the Mass Flow of the Pollutant for	
Paroseni Thermal Power Station	1
Praporgescu, G., Mihăilescu, S., Technical Solutions to Hydraulic Supply	
System for Drilling Equipment	1

Rada, A., Florea, C., Research Regarding the Reliability of Subassemblies and Mechanical Energy Losses of the Centrifugal Pumps	141
Radu, S. M., Ilias, N., Tudoroiu, ER., Kecs, W., Dobritoiu, M., Tudoroiu, N.,	
Investigations on Real-Time Implementation of a Particle Filter to	
Estimate the State-of-Charge of Ni-Mh Batteries in Hybrid Electric	
Vehicles	147
Tataru, A. C., Tataru, D., Stanci, A., Nan, M. S., Study of Vibration Regime to	
Control Noise Produced by Belt Conveyors	157
Tomus, O. B., Study Regarding the Specific Energy Consumption Used During	
Lignite and Overburden Rock Excavation in Jilt Open-Pit Mine	164
Tomus, O. B., Jula, D., Study about the Reliability of Belt Conveyors Used in	
the Underground Coal Mines in Jiul Valley	170
Urdea, GB., Jula, D., Modelling and Checking the Cable Tension Balance	
Devices	176
Virág, Z., Jármai, K., Effects of Material Quality and Span Length on the	
Optimum Design of Non-Standard Sized Above-Ground Pipelines	182
Index of Authors	188
Instructions for Authors	189

INDEX OF AUTHORS

Andras, A.,	5, 11, 127	M akharadze, L.,	99
Andras, I.,	5, 11	Mihăilescu, S.,	103, 133
B aciu, C.,	32	Moraru, I. R.,	99
Bejinariu, C.,	32	Naberezhnay, O.,	23
Bernevig-Sava, M. A.,	32	Nan, M. S.,	61, 157
Burya, A.,	23	Nan, T. M.,	113
Cazac, A. M.,	32	P etrilean, D. C.,	5, 53, 127
Cozma, B. Z.,	38	Plotogea, C.,	61
D arabont, D. C.,	32	Praporgescu, G.,	103, 133
Dašić, P.,	23	Preda, L.	127
Dimirache, G.,	46	R ada, A.,	141
Dinescu S.,	46	Radu, S. M.,	11, 99, 113, 147
Dobrițoiu, M.,	147	Rus, I. C.,	46
Dosa, I.,	53, 127	Sapeshko, S.,	23
Dumitrescu, I.,	38	Stanci, A.,	157
F lorea, C.,	141	Stănilă, S.,	113
Grecea, D.,	61	T ataru, A. C.,	157
Iliaș, N.,	147	Tataru, D.,	157
Itu, R. B.,	69	Tomuș O. B.,	75, 164, 170
Itu, V.,	69	Tudoroiu, ER.,	147
J ármai, K.,	182	Tudoroiu, N.,	147
Jula D.,	75, 170, 176	Tutuianu, G.,	01
Kecs, W.,	147	Urdea, GB.,	176
Ladányi, G.,	83, 93	Virág, Z.,	93, 182
Lanchava, O.,	99		

Annals of the University of Petroşani, Mechanical Engineering, 18 (2016), 189-190 189

INSTRUCTIONS FOR AUTHORS¹

THE TITLE OF THE PAPER WILL BE WRITTEN WITH CAPITAL LETTERS, CENTERED, AT 7.0 cm FROM THE UPPER EDGE OF A4 FORMAT, ALONG THE ENTIRE WIDTH, TIMES NEW ROMAN, 14 POINTS, BOLD.

 \cdot (14 points)

 \cdot (14 points)

The first name and the family name will be written with CAPITAL LETTERS, BOLD, CENTERED, 130 mm width, Times New Roman, 12 points, each name being followed by number, and in the footnote the didactic and scientific degree, the position and place of work of the authors (possibly fax, E-mail) are indicated, with italics, 130 mm width, Times New Roman, 11 points.

 \cdot (12 points)

 \cdot (12 points)

<Tab> Abstract: (Times New Roman, 10 points, bold) The Abstract will only be in English and will have between 50 and 100 words, arranged all over the entire width, single, left – right alignment, all over the width of the printed space, Times New Roman, 10 points.

 \cdot (10 points)

 \cdot (10 points)

 $\langle \text{Tab} \rangle$ Key words: (Times New Roman, 10 points, bold) 5 – 10 words, in English, along the entire width, Times New Roman, 10 points.

 \cdot (10 points)

 \cdot (10 points)

\cdot (10 points)

<Tab> 1. THE TITLE OF THE CHAPTER IS WRITTEN WITH CAPITAL LETTERS, BOLD, TIMES NEW ROMAN, 11 POINTS AND WILL BE NUMBERED WITH ARABIC NUMBERS.

 \cdot (11 points)

<Tab> The paper text paragraphs will be left – right aligned. The lines of the entire text will be single spaced with Times New Roman fonts, size 11 points.

The paper will be edited in a language of international circulation (English, French, German) on A4 format (210 x 297), page setup: top 5.6 cm, bottom 4.6 cm, left 3.7 cm, right 3.7 cm, in WORD and the number of pages must be even between 4 and 16. The size of the symbol is given next and is written in the instructions used to assist in editing the text. It indicates a blank line and does not show in the text of the paper, being obtained by pressing <ENTER>. The size of a <Tab> is 1.27 cm. No blank line is left between the paragraphs. Between the last line before the title and the title of the chapter and between the title and the first next line a blank line is left for each.

¹ Professor Eng., Ph.D. at the University of Petroşani, email adress

<Tab> 1.1 Subchapter. Subchapters can be used in the text, numbered with the number of the chapter and a number showing the number of the subtitle within the chapter. The subchapters and the numbers are Times New Roman, 11 points, bold.

 \cdot (11 points)

The text is written in new paragraph and not continuing the subtitle, an 11 point blank line being left between the subtitle and the following text.

 \cdot (11 points)

2. PRESENTATION OF THE FIGURES

 \cdot (11 points)

Figures should be enclosed in the text in the order of their presentation, as far as possible on the page where reference is made to them. They shall be numbered with Arabic numbers. Black – and – white, high contrast figures are recommended. Photos can be used as well, but they should be of good quality, clarity and sufficient contrast. The figures will have a legend (name of the figure), which, along with the number, will be written underneath with Times New Roman, 10 points, centered as to the figure. The figures will be surrounded by text.

 \cdot (11 points)

3. PRESENTATION OF THE TABLES

 \cdot (11 points)

The tables will be enclosed in the text, a 10 points blank line being left above and under the table, and will be numbered with Arabic numbers. Both the number and the explanations to the table are written with Times New Roman, 10 points, italic, for the number and bold for the explanation to the table, centered in the space of the table and above it. The table entries will be Times New Roman, 10 points, bold, and the data in the table will be Times New Roman, 10 points. The table will be $\frac{1}{2}$ points (0.02 cm), and the thick ones will be $\frac{3}{4}$... 1 points (0.03 ... 0.04 cm).

\cdot (11 points)

4. PRESENTATION OF THE MATHEMATICAL EQUATIONS

 \cdot (11 points)

The mathematical equations will be with times New Roman, 11 points, center of the page and numbered on the right with Arabic numbers between round brackets.

(8 points)
$$X^2 + Y^2 = Z^2$$

\cdot (8 points) < Blank line 8 point high>

An 8 point high blank line is left between the last line before the relation and the relation and between the latter and the next first line.

The last page will be at least 2/3 full.

The pages of the paper will only be numbered by a pencil outside the printing space.

\cdot (11 points)

REFERENCES (will be written according to the model, Times New Roman 10 points).

\cdot (10 points)

[1]. Marian L, *Mining mechanization*, Technical Publishing House, Bucharest, 1969 (Romanian language)

